



Noise Monitoring Checklist

W/C__9/1/2023__

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	Y	Y	Y	Y	Y
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being use?	Y	Y	Y	Y	Y
8	No bucket flapping	Y	Y	Y	Y	Y
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor_ John Houston

Date_13/1/2023

Actions from noise monitoring daily inspections (if any)

Monday: Site OK, noise complaint received

Tuesday: No excessive noise noted on site, complaint received

Wednesday: Noise complaint received, does not appear excessive on site

Thursday: Concrete pecker being used outside new weighbridge building

Friday: Concrete pecker being used outside new weighbridge building

Actions from noise monitoring offsite inspection (if any)

Walked footpath round to eastern end of site, noise levels not excessive



Noise Monitoring Checklist

W/C__16/1/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_20/1/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No unusual noise incidents, no complaints

Tuesday: Some noise from loading shovel pushing up 20mm gravel at concrete plant, no complaints

Wednesday: No excessive noise, no complaints

Thursday: No reports of noise, no complaints

Friday: No complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Walked northern bund, noise not intrusive



Noise Monitoring Checklist

W/C__23/1/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_27/1/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints, occasional clattering from loading

Wednesday: No noise complaints, occasional banging

Thursday: No noise complaints, no excessive noise

Friday: No complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Walked site perimeter, not unduly noisy



Noise Monitoring Checklist

W/C__30/1/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_3/2/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: Noise complaints received, not noted as unduly noisy

Wednesday: Noise complaints, occasional banging noted

Thursday: No noise complaints, no excessive noise

Friday: No complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Walked across to Hall Lane, some noise noticeable



Noise Monitoring Checklist

W/C__13/2/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_17/2/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: Noise complaint received, blading up in concrete stock bays

Wednesday: Noise complaint, plant running

Thursday: Noise complaint, no excessive noise but plant running

Friday: No complaints, not excessively noisy, occasional bangs

Actions from noise monitoring offsite inspection (if any)

Walked SSSI footpath, nothing unusual to report



Noise Monitoring Checklist

W/C__20/2/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_24/2/2023_

Actions from noise monitoring daily inspections (if any)

Monday: Noise and vibration complaint received, plant not running

Tuesday: Cobbles being loaded too early in morning, changed loading time until after 9 am

Wednesday: Noise from loading shovel noted by Alec, awaiting return of permanent shovel for new system

Thursday: Noise from ribdeckers in new building quite audible

Friday: Noise from ribdeckers again today

Actions from noise monitoring offsite inspection (if any)

Visit to Hall lane, nothing very audible



Noise Monitoring Checklist

W/C_27/2/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor___John Houston_____

Date 3/3/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints, no excessive noise

Wednesday: No noise complaints, no excessive noise

Thursday: No noise complaints, no excessive noise

Friday: No noise complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Walked landfill bund, some noise from crushing and plant



Noise Monitoring Checklist

W/C__6/3/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date10/3 /2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints, dewatering screen altered

Wednesday: No noise complaints, trash screen altered

Thursday: No noise complaints, no excessive noise

Friday: No noise complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Hall lane, very quiet, road noise most noticeable noise



Noise Monitoring Checklist

W/C__13/3/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date 20/3/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints

Wednesday: Noise complaint received today, no plant or crusher running

Thursday: 2 noise complaints received citing rattling and some vibration

Friday: Noise complaint received for today

Actions from noise monitoring offsite inspection (if any)

Walked southern boundary footpath, very quiet



Noise Monitoring Checklist

W/C__20/3/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date24 /3/2023_

Actions from noise monitoring daily inspections (if any)

Monday: Noise complaint received, not noted as unduly noisy on site

Tuesday: No excessive noise today

Wednesday: No excessive noise noted today

Thursday: Noise complaints received, no unusual occurrences

Friday: No excessive noise today

Actions from noise monitoring offsite inspection (if any)

Walked northern bund, nothing unusual



Noise Monitoring Checklist

W/C__27/3/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date_31/3/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no unusual activity

Tuesday: 2 noise complaints, wind blowing hard to the south

Wednesday: Noise complaint, wind still influencing

Thursday: No excessive noise noted

Friday: Noise complaint received, nothing excessive on site

Actions from noise monitoring offsite inspection (if any)

Walked site boundary, no excessive noise noted



Noise Monitoring Checklist

W/C__3/4/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	H	H	BH
2	Are all crushers and screeners operating behind screening walls?	Y	Y			
3	No excessive blading of ground by loading shovel	Y	Y			
4	Drop heights being kept to a minimum	Y	Y			
5	Any unavoidable noise on site	N	N			
6	Reversing kept to a minimum	Y	Y			
7	Are white noise reversing beepers being used?	Y	Y			
8	No bucket flapping	N	N			
9	Vehicle horns only used in emergency	Y	Y			
10	Is main washing plant free from excessive noise?	Y	Y			
11	Are all noise controls in place?	Y	Y			
12	Are all staff working in the pit aware of noise controls?	Y	Y			

Signature of Inspector / Supervisor__John Houston_____

Date_4/4/2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no unusual activity

Tuesday: 1 noise complaint received

Wednesday: JH Holiday 3 noise complaints received

Thursday: JH Holiday

Friday: BH

Actions from noise monitoring offsite inspection (if any)



Noise Monitoring Checklist

W/C__10/4/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date 14/4/2023

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints, dewatering screen altered

Wednesday: Noise complaint received

Thursday: No noise complaints, no excessive noise

Friday: Noise complaint received

Actions from noise monitoring offsite inspection (if any)

Hall lane, no noise noticed



Noise Monitoring Checklist

W/C__17/4/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date 21/4/2023

Actions from noise monitoring daily inspections (if any)

Monday: plant not running today

Tuesday: No noise complaints

Wednesday: Noise complaint received

Thursday: No noise complaints, no excessive noise

Friday: No noise complaint received

Actions from noise monitoring offsite inspection (if any)

Northern bund walked, no excessive noise



Noise Monitoring Checklist

W/C__24/4/2023

Item No	Item Inspected	Mon	Tues	Wed	Thurs	Fri
1	Is all mobile plant in use effectively silenced?	Y	Y	Y	Y	Y
2	Are all crushers and screeners operating behind screening walls?	Y	Y	Y	Y	Y
3	No excessive blading of ground by loading shovel	Y	Y	Y	Y	Y
4	Drop heights being kept to a minimum	Y	Y	Y	Y	Y
5	Any unavoidable noise on site	N	N	N	N	N
6	Reversing kept to a minimum	Y	Y	Y	Y	Y
7	Are white noise reversing beepers being used?	Y	Y	Y	Y	Y
8	No bucket flapping	N	N	N	N	N
9	Vehicle horns only used in emergency	Y	Y	Y	Y	Y
10	Is main washing plant free from excessive noise?	Y	Y	Y	Y	Y
11	Are all noise controls in place?	Y	Y	Y	Y	Y
12	Are all staff working in the pit aware of noise controls?	Y	Y	Y	Y	Y

Signature of Inspector / Supervisor__John Houston_____

Date 28/4 /2023_

Actions from noise monitoring daily inspections (if any)

Monday: No noise complaints, no excessive noise

Tuesday: No noise complaints

Wednesday: No noise complaints

Thursday: Noise complaint received

Friday: No noise complaints, no excessive noise

Actions from noise monitoring offsite inspection (if any)

Hall lane checked, not excessively noisy